


OAK WOOD MODULAR LIBRARY SHELVING



NO. 3L003 w/back s.f. starter
90"H X 36"W. X 12"D

NO. 3L004 w/back s.f. adder
90"H X 36"W. X 12"D

NO. 3L007 w/back d.f. starter
90"H X 36"W. X 24"D


NO. 3L008 w/back d.f. adder
90"H X 36"W. X 24"D

NO. 3L015 w/back s.f. starter
84"H X 36"W. X 12"D

NO. 3L016 w/back s.f. adder
84"H X 36"W. X 12"D

NO. 3L019 w/back d.f. starter
84"H X 36"W. X 24"D

NO. 3L020 w/back d.f. adder
84"H X 36"W. X 24"D



NO. 3L027 w/back s.f. starter
72"H X 36"W. X 12"D

NO. 3L028 w/back s.f. adder
72"H X 36"W. X 12"D

NO. 3L031 w/back d.f. starter
72"H X 36"W. X 24"D

NO. 3L032 w/back d.f. adder
72"H X 36"W. X 24"D

NO. 3L039 w/back s.f. starter
60"H X 36"W. X 12"D

NO. 3L040 w/back s.f. adder
60"H X 36"W. X 12"D

NO. 3L043 w/back d.f. starter
60"H X 36"W. X 24"D

NO. 3L044 w/back d.f. adder
60"H X 36"W. X 24"D



NO. 3L051 w/back s.f. starter
48"H X 36"W. X 12"D

NO. 3L052 w/back s.f. adder
48"H X 36"W. X 12"D

NO. 3L055 w/back d.f. starter
48"H X 36"W. X 24"D

NO. 3L056 w/back d.f. adder
48"H X 36"W. X 24"D


NO. 3L063 w/back s.f. starter
42"H X 36"W. X 12"D

NO. 3L064 w/back s.f. adder
42"H X 36"W. X 12"D

NO. 3L067 w/back d.f. starter
42"H X 36"W. X 24"D

NO. 3L068 w/back d.f. adder
42"H X 36"W. X 24"D


OAK WOOD LIBRARY SHELVING AND PARTS



FRONT VIEW

NO. 3L075 w/back s.f. starter
36"H X 36"W. X 12"D


NO. 3L079 w/back d.f. starter
36"H X 36"W. X 24"D



END VIEWS


NO. 3L076 w/back s.f. adder
36"H X 36"W. X 12"D

NO. 3L080 w/back d.f. adder
36"H X 36"W. X 24"D



NO. 3L087 w/back s.f. starter
30"H X 36"W. X 12"D

NO. 3L091 w/back d.f. starter
30"H X 36"W. X 24"D




NO. 3L088 w/back s.f. adder
30"H X 36"W. X 12"D

NO. 3L092 w/back d.f. adder
30"H X 36"W. X 24"D




NO. 3L097- PICTURE BOOK SHELF
(FIXED DIVIDERS)

PICTURE BOOK SHELF WILL BE 1-1/8" THICK OAK PLYWOOD WITH SOLID OAK EDGES. THERE WILL BE FOUR FIXED 3/4" OAK DIVIDERS 8" HIGH ATTACHED TO SHELF AND SHELF BACK. SHELF MAY BE USED IN ANY 12" DEEP SHELVING OR MOBILES.



NO. 3L100- NEWSPAPER ROD INSERT NEWSPAPER

ROD INSERT WILL FIT INTO 12" DEEP SHELVING. ROD INSERT WILL BE MADE OF TWO HARDWOOD OAK CLEATS 3/4" THICK WITH 1" NOTCHED SLOTS FOR RODS. CLEATS WILL BE ATTACHED TO UPRIGHTS WITH SCREWS. INERT WILL BE SUPPLIED WITH EIGHT NEWSPAPER RODS.




NO. 3L098- PICTURE BOOK SHELF(STEEL WIRE DIVIDERS)

PICTURE BOOK SHELF WILL BE 1-1/8" THICK OAK PLYWOOD WITH SOLID OAK EDGES. THERE WILL BE 1/4" STEEL ROD DIVIDERS 8" HIGH ADJUSTABLE ON 32MM CENTERS. SHELF MAY BE USED IN ANY 12" DEEP SHELVING OR MOBILES.
1-1/8" T X 11-1/2" W X 35-1/2" L



NO. 3L102- STANDARD SHELF 11-1/2" D.

STANDARD SHELF WILL BE 1-1/8" THICK ELEVEN PLY OAK PLYWOOD WITH 1/4" THICK SOLID OAK EDGES.



NO. 3L099- SLOPING MAGAZINE SHELF:

SLOPING MAGAZINE SHELF WILL BE 3/4" OAK PLYWOOD WITH SOLID OAK EDGES. FRONT EDGE WILL HAVE ATTACHED A 1-3/4" MAGAZINE RETAINER. SHELF MAY BE USED IN ANY 12" DEEP SHELVING OR MOBILES. 1-3/4" T X 16" W X 35-1/2" L.



NO. 3L104- SOLID OAK LUMBER SHELF

11-1/2" D. SHELF WILL BE 3/4" THICK OF SOLID GLUED-UP OAK HARDWOOD RANDOM WIDTHS NO MORE THAN 4" WILL BE USED. SHELF MAY BE SUBSTITUTED FOR STANDARD SHELF FOR AN ADDITIONAL CHARGE.

"DESIGN 3" OAK WOOD LIBRARY SHELVING SPECIFICATIONS


- 1. END PANELS** will be 1-1/8" thick eleven ply plywood core with plain sliced oak veneer on each side. Edges will be protected with 1/4" thick solid oak banding.
- 2. INTERMEDIATE UPRIGHT** will be the same material and construction as end panel.
- 3. CORNICE TOP** will have a 2-1/4" thick face with solid oak edges.
- 4. BASE** will be 4" high, constructed with 1-1/8" thick matching plywood with solid oak edges, using dowels screws and glue blocks.
- 4a. TOPS and BASES** will be attached to end panels and intermediate uprights using leg bolts and hex head bolts and washers.

- 5. SHELVES** will be 1-1/8" thick eleven ply plywood core with plain sliced oak veneer on each side. exposed edge will be protected with 1/4" thick solid oak wood with all exposed corners neatly rounded. Shelves will adjust on recessed K.V. shelf standard.
- 6. BACKS** will be 1/4" thick matching plywood.


FINISH will consist of hand sanding, hand rubbed wiping stain, sanding sealer and two coats of very tough catalyzed top coat.

PREFIX (3) FOR "DESIGN 3" OAK PLYWOOD WITH SOLID OAK EDGES.
PREFIX (2) FOR "DESIGN 2" MELAMINE WITH SOLID OAK EDGES W/ HAND RUBBED OIL FINISH.
PREFIX (1) FOR "DESIGN 1" MELAMINE WITH P.V.C. EDGES.


OAK WOOD MOBILE SHELVING




NO. 3L107 DOUBLE FACE MOBILE
36"W X 72"H X 24"D




NO. 3L108 DOUBLE FACE MOBILE
36"W X 60"H X 24"D




NO. 3L109- DOUBLE FACE MOBILE
36"W X 48"H X 24"D




NO. 3L110- DOUBLE FACE MOBILE



NO. 3L112- DOUBLE FACE MOBILE
36"W X 36"H X 24"D



NO. 3L113- DOUBLE FACE MOBILE
36"W X 30"H X 24"D



NO. 3L111- DOUBLE FACE MOBILE
72"W X 42"H X 24"D



NO. 3L111



Recessed double wheel casters base.



NO. 3L109



Mobile Shelving **SIDES** will be 3/4" thick a grade plain sliced oak with 1/4" thick solid oak banding on all four edges. Sides will be attached to top and bottom using dowels and through bolt construction. **TOP, BOTTOM** and **SHELVES** will be 1-1/8" thick plain sliced oak plywood with exposed edges protected with 1/4" thick solid oak neatly rounded on all corners. Shelves are adjustable on recesses K.V. standard.


BACK will be 1/4" thick oak plywood. **CASTERS** will be heavy duty 2" double wheel type, recessed in the base of the mobile in such a way as to hide them from view. **FINISH** will consist of hand sanding, hand rubbed wiping stain, sanding sealer and two coats of very tough catalyzed top coat.

PREFIX (3) FOR "DESIGN 3" OAK PLYWOOD WITH SOLID OAK EDGES.


PREFIX (2) FOR "DESIGN 2" MELAMINE WITH SOLID OAK EDGES W/ HAND RUBBED OIL FINISH.

PREFIX (1) FOR "DESIGN 1" MELAMINE WITH P.V.C. EDGES.


OAK WOOD ASSEMBLED SHELVING



3L114 ASSEMBLED SHELVING
36"W X 90"H X 12"D




3L115 ASSEMBLED SHELVING
36"W X 84"H X 12"D




3L116 ASSEMBLED SHELVING
36"W X 72"H X 12"D



3L117 ASSEMBLED SHELVING
36"W X 60"H X 12"D



3L118 ASSEMBLED SHELVING
36"W X 48"H X 12"D



3L119 ASSEMBLED SHELVING
36"W X 42"H X 12"D



3L120 ASSEMBLED SHELVING
36"W X 36"H X 12"D



3L121 ASSEMBLED SHELVING
36"W X 30"H X 12"D

Shelving Ends will be 3/4" thick Oak plywood with 1/4" thick solid Oak edge. Ends will be attached to top and bottom using dowels and mechanical fasteners. Top, Bottom, and Shelves will be 1-1/8" thick Oak plywood with 1/4" thick solid Oak edges. Shelves are adjustable on 32mm centers. Back will be 1/4" Oak plywood. Bottom shelf will be located 4" above floor.

FINISH will consist of hand sanding, hand rubbed wiping stain, sanding sealer and two coats of very tough catalyzed top coat.

PREFIX (3) FOR "DESIGN 3" OAK PLYWOOD WITH SOLID OAK EDGES.
PREFIX (2) FOR "DESIGN 2" MELAMINE WITH SOLID OAK EDGES W/
HAND RUBBED OIL FINISH.
PREFIX (1) FOR "DESIGN 1" MELAMINE WITH P.V.C. EDGES.

